



ROBERT STĘPIEŃ
HURTOWNIA CZĘŚCI ELEKTRONICZNYCH
podzespoly-elektroniczne.pl

Krokodylek 27.263.2;czarny;93mm; wtykany(gn.ban. 4mm)32A;1000V;Amass



Dane techniczne:

Nazwa: Krokodylek 27.263.2

Kolor izolacji: czarny

Długość całkowita: 93mm

Montaż przewodu: wtykany (gniazdo bananowe 4mm)

Prąd znamionowy: 32A

Napięcie znamionowe: 1000V

Materiał styku: mosiądz niklowany

Materiał izolacji: poliamid

Zakres zaciskania: 44mm

Producent: Amass

Certyfikaty: RoHS

www.podzespoly-elektroniczne.pl


Robert Stępień Hurtownia Części Elektronicznych; Adres: ul. Wolumen 2, pawilon 71; 01-912 Warszawa; tel.: 601 296 402 /
sklep@podzespoly-elektroniczne.pl

27.714.*



Material

Insulator:PVC
Body:Steel
Surface:Nickel plated




1 2

27.720.*



Material

Insulator:PVC
Body:Steel
Surface:Nickel plated




1 2

27.716.*



Material

Body:Steel
Surface:Nickel plated
Current
Max.10A




27.722.*



Material

Insulator:PVC
Body:Steel
Surface:Nickel plated
Current
Max.30A




1 2

27.718.*



Material

Insulator:PVC
Body:Steel
Surface:Nickel plated




1 2

27.723.*



Material

Insulator:PVC
Body:Steel
Surface:Nickel plated
Current
Max.30A




1 2

27.719.*



Material

Insulator:ABS
Body:Steel
Surface:Nickel plated




1 2

27.211.*



Material

Insulator:PVC
Body:Steel
Surface:Nickel plated
Current
Max.50A



1 2